



## PRODUCT

### DLPV VERTICAL SINGLE BIKE LOCKER

## MATERIALS

Galvanized or Stainless Steel

**Exterior:** ASTM A591 16 Gauge Steel

**Interior:** ASTM A591 14 Gauge Steel

## POWDERCOAT OPTIONS





- |  |  |
|--|--|
| <input type="checkbox"/>  Black         | <input type="checkbox"/>  Celestial Blue  |
| <input type="checkbox"/>  Silver Gray   | <input type="checkbox"/>  Mesa Tan        |
| <input type="checkbox"/>  Emerald Green | <input type="checkbox"/>  Fire Engine Red |
| <input type="checkbox"/>  Pearl White  | <input type="checkbox"/>  Graphite       |

☐ **ADD ANTI-GRAFFITI CLEAR COAT \***

## LOCKER MATERIAL

☐  Stainless Steel \*



## LOCK TYPE

- |  |   |
|--|---|
| <input type="checkbox"/> <b>Pad Lock Handle</b><br><i>Pad Lock Not Included</i>  |  |
| <input type="checkbox"/> <b>T Handle</b><br><i>Keys Included</i>                 |  |
| <input type="checkbox"/> <b>U Lock *</b><br><i>Requires Pad Lock or T Handle</i> |  |
| <input type="checkbox"/> <b>BLUETOOTH *</b><br><i>Use Smart Phone Manage</i>     |  |

\*\*\* Standard locker lead times depend on color, quantity, and configuration. Contact your DuraCore sales rep to insure lead time meets your schedule.



Top



Side



\*Customization Available

Locker Quantity: \_\_\_\_\_

Bank Configuration: \_\_\_\_\_

Stackable (Yes/No): \_\_\_\_\_

Approved Date: \_\_\_\_\_

Approved Signature: \_\_\_\_\_

\* =Additional Cost



## CUSTOMIZATION


---

We offer many ways to customize your bike locker installation, like the following options:

### Door Perforations



Universal Solid Door



Round Perforations  
(additional cost)

### Wall Options



Solid Wall



Laser Cut Logo  
(additional cost)

**Custom Vinyl Logos** - A great way to personalize your lockers





## LAYOUT RECOMMENDATIONS

\*\*\* All lockers can be built in bank or nested configuration and are even stackable. To indicate stackable or to order in a bank configuration indicate on the sign off below.

